




RIKUTEC Group


The background of the slide is a scenic landscape photograph. On the left, a large, mature tree with a thick trunk and dense foliage stands in a field of tall grass and wildflowers. The sun is low on the horizon behind the tree, creating a warm, golden glow and long shadows. In the background, there are rolling green hills covered in trees under a clear sky.

WELCOME

RIKUTEC GROUP | AT A GLANCE



RIKUTEC GROUP | AT A GLANCE





COMPANY SITES: *Headquarter Germany*

Production: DE, FR, ES

Sales Offices: DE, FR, ES, US, KR



EMPLOYEES:

220 (Worldwide)



EUROPEAN PRESENCE:

GE, FR, DK, UK, ES, PL, SW




WORLDWIDE DISTRIBUTION NETWORK:

AU, BR, FR, IN, IE, KR, NL, AT, SI, ES, TR, USA, CH

FIELDS OF ACTION

We Serve the Market with Innovative Plastic Solutions since 1986






AT 70




AT 112




AT 115



AT 122




AT 204



AQUAVARIO 1050




EPURBLOC 115



EPURBLOC 122



ACTIBLOC 185



ACTICLEVER 115



ACTICLEVER 122



ACTIFILTRE 185



VARIOLENTZ 78



EUROLENTZ



EUROLENTZ COMFORT



EUROLENTZ COMFORT XT



Rectangular Water-Tanks with certification for portable water, the green colour is for UV-protection. Tanks designed for aboveground installation



SERIE AQUALENTZ: 700 – 3000LITRE

Watertanks for small floor space , also for aboveground installation



SERIE AQUAVARIO: 500 – 1000LITRE

RIKUTEC GROUP | HABITAT | WATER

VARIOUS TYPE OF TANKS FOR WATER STORAGE FROM 200 TO 50.000 LITRES



Flat tank with a height of 70cm
for underground and aboveground
installation



SERIE AT70 FLAT TANK: 2500 – 7500LITRE



Double-Walled tank made of
HDPE, for a wide variety of
applications




SERIE 204 3500 – 50.000LITRE



VARIOUS TYPES OF WATER TREATMENT PLANT FROM 4 – 250 PEOPLE




Septic Tank from 1000 up to 12.000litre with integrated biological filter with high-performance filtering material




EPURBLOC – SEPTIC TANK WITH BIOLOGICAL FILTER



VARIOUS TYPES OF WATER TREATMENT PLANT FROM 4 – 250 PEOPLE



Very compact SBR System, for 4–12 people.
Without electric valves, easy to use and
service



ACTICLEVER: COMPACT SBR TREATMENT PLANT

VARIOUS TYPES OF GREASE AND OIL SEPARATORS




Grease separators from 200 to 10.000 litre with flow rates from 0,5l/sec up to 25l/sec



GREASE SEPARATOR AND OIL SEPARATOR


Oil separators with coalescing filter and optional bypass.
Flow rates from 1,5l/sec until 30l/sec.



VARIOUS TYPES OF WATER TREATMENT PLANT FROM 4 – 250 PEOPLE



Waterstorage, Septic tank, SBR Station,
Stormwatertank





UC DRUM

HD DRUM



CD DRUM



TWIN – DRUM




POLY IBC GR



POLY IBC UC




POLY IBC CD




CONIPAC 400



CONIPAC 1000







RIKUTEC Group

Thanks a lot and take care

Contact: Gunter Langbehn

g.langbehn@rikutec.es

0034 680 714 127

(WhatsApp)

www.rikutec.de